

**Figure 1**  
(Prior Art)

Figure 2  
(Prior Art)




Figure 3




Figure 4A




Figure 4B




Figure 5A




Figure 5B




Figure 5C




Figure 5D





Figure 6






Figure 8A




Figure 8B






Figure 9A




Figure 9B




Figure 10




FIG. 11 is a perspective view of the device of FIG. 10, showing the device in a closed position. The device is shown in a perspective view, and the components are labeled with reference numerals. The device is shown in a closed position, and the components are labeled with reference numerals. The device is shown in a perspective view, and the components are labeled with reference numerals. The device is shown in a closed position, and the components are labeled with reference numerals.




Figure 11

Figure 12




FIG. 13 is a perspective view of the device 110, showing the top surface 112, the side surface 114, and the bottom surface 116. The device 110 is a rectangular block with rounded ends, featuring a series of rectangular openings 118 along the top surface 112. The side surface 114 is smooth, and the bottom surface 116 is also smooth. The device 110 is shown in a perspective view, with the top surface 112, the side surface 114, and the bottom surface 116 clearly visible.








Figure 13



SECTION A-A

FIG. 13

Figure 14




Figure 15









Figure 16




FIG 16A




FIG 16B




FIG 16C




FIG 16F




FIG 16E




FIG 16D